





Model	Year	MG	SG	Illustration	Restrictions	UPD	13:31	22.05.2009		ETKA
A4Q	2000	1	21	121-62		747	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		water cooling	2,7ltr.		6 cylinder: APB
- b	059 919 501 A	dual temperature sender	4 pin	1	
-	357 919 369 F	thermal switch	2 pin 112C	1	
- + N	903 168 02	round seal	19,6X3,65	2	
1	078 121 071 CD	water tube		1	
2 + N	905 607 01	round seal	30X5	2	
3 + N	903 800 02	round seal	24X3	1	
4 + N	101 725 01	bolt, with hex. socket hd. (combi.)	M6X22	4	
5	078 145 755 B	union		1	
6	078 121 070 CB	water pipe with servo steering oil suction pipe		1	
7 + N	010 215 27	screw, hex. hd.	M6X15	X	
8 + N	011 524 23	washer	6,4X12,5X1,6	X	
9 + N	013 811 5	seal ring	10X13,5	X	
10	N 016 024 1	plug	M10X1	X	
11 + N	905 607 01	round seal	30X5	1	
12	035 959 209 E	rubber isolator		2	
13 b	078 965 561	additional water pump		1	
(13)	078 121 147	angled elbow (for modified vehicles)	20MM/20MM	1	
14	078 121 082 E	water hose (water pipe > additional water pump)		1	
15	078 121 082 H	water hose (water pipe > additional water pump)		1	
16	078 121 075 AB	water tube		1	
17 + N	903 653 02	round seal	20X3	1	
18	078 121 598 F	water tube F	supply	1	
		>> 8D-Y-050 000* also use:	N 013 849 5	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	13:31	22.05.2009		ETKA
A4Q	2000	1	21	121-62		747	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
-	b N 013 849 5	seal ring	14X20	1		33	8D0 121 101 AG	water hose (reservoir > adapter > radiator)		1	
(18)	078 121 598 B	water tube F 8D-Y-050 001>>*	supply	1		34	N 906 872 01	spring clip	40X12	X	
19	078 121 492 F	water tube	return N 013 849 5	1		34A	1J0 121 142	retaining spring		X	
		also use:	06A 145 541 K	1		35	8D0 121 107 P	vent hose (adapter > water pipe)		1	
20	078 121 597 L	water tube	supply N 013 849 5	1		36	N 906 930 01	t-piece	8X8X8	1	
		also use:	N 013 849 5	1		37	b N 906 867 01	spring clip	14X12	X	
21	078 121 491 F	water tube	return 06A 145 541 K	1		38	078 121 096 AE	water hose (water pipe > water pipe) F >> 8D-Y-033 555		1	
		also use:	N 013 849 5	2		(38)	078 121 096 AF	water hose (water pipe > water pipe) F 8D-Y-033 556>>		1	
22	+ N 010 215 27	screw, hex. hd.	M6X15	X		39	078 121 065 H	water tube F >> 8D-Y-033 555		1	
-	+ N 011 524 23	washer	6,4X12,5X1,6	X		(39)	078 121 065 J	water tube F 8D-Y-033 556>>		1	
23	N 021 074 2	banjo bolt	10	X		40	8D0 121 109 G	water hose (expansion chamber > water pipe)		1	
24	+ N 013 814 9	seal ring	14.2X17.9X1.5	X		41	N 906 553 01	spring clip	17X12	X	
25	+ N 024 528 1	clamp	8-12X8X0,4	X		42	N 100 052 04	bolt, hex. hd. (combi.)	M8X18	1	
26	+ N 102 582 01	clamp	12-22X9X0,4	X		43	4A0 121 093	cable tie with hose retainer		1	
27	078 121 081 M	water tube F >> 8D-Y-033 555		1		44	026 121 093 A	bracket		1	
(27)	078 121 081 Q	water tube F 8D-Y-033 556>>		1		45	+ N 102 581 01	clamp	23-35X9X0,5	X	
27A	+ N 010 241 18	screw, hex. hd.	M8X22	2		46	N 100 572 01	retaining clip	8X15	X	
28	078 121 096 AC	water hose (union > water pipe)		1		47		see illustration:	959-50		
29	078 121 058 AJ	water hose (oil cooler > water pipe) F >> 8D-Y-033 556		1		50	b 078 121 601 B	additional water pump (for modified vehicles)		1	
(29)	078 121 058 AM	water hose (oil cooler > water pipe) F 8D-Y-033 556>>		1		51	N 906 870 01	spring clip (for modified vehicles)	27X12	1	
30	078 121 096 AD	water hose (oil cooler > water pipe)		1		52	078 121 521 F	bracket for additional water pump (for modified vehicles)		1	
31	N 906 869 01	spring clip	23X12	X							
32	8D0 121 055 T	water hose (adapter > radiator)		1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	13:31	22.05.2009		ETKA
A4Q	2000	1	21	121-62		747	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
53	N 101 244 08	hexagon socket head bolt (combi) (for modified vehicles)	M6X20	1							
54	078 121 096 AR	water hose (for modified vehicles)		1							
55	078 121 096 AQ	water hose (for modified vehicles)		1							
56	N 100 835 01	bolt, hex. hd. with shoulder (for modified vehicles)	M6X16	1							